Panel housing

for RFID modules of the TWN4 MultiTech 2 family

Panel housing for TWN4 MultiTech 2 modules
(exemplary illustration)

The panel housing kit contains an IP65 plastic housing that can be used to install any RFID reader module of the TWN4 MultiTech 2 family outside. The panel housing is only compatible with the PCBs of these product families and is available in two different variants (with or without LED holes).

Special features:

+ Housing available with or without LED holes
+ Customized inlay on request
+ Compatible with all RFID modules of the TWN4 MultiTech 2 family

TECHNICAL DATA

|	
HOUSING	Safety class[1]: IP65 Material: PC UL94-V0 Color: black
DIMENSIONS (L X W X H)	Approx. 80.50 x 55.00 x 13.50 mm / 3.17 x 2.17 x 0.53 inch
TEMPERATURE RANGE	Operating: -25 °C up to +70 °C (-13 °F up to +158 °F)
WEIGHT	Approx. 16.5 g / 0.58 oz (without rubber seal)
COMPATIBLE RFID MODULES	TWN4 MultiTech 2 M TWN4 MultiTech 2 M HF TWN4 MultiTech 2 M LF TWN4 MultiTech 2 M LF HF TWN4 MultiTech 2 LEGIC M TWN4 MultiTech 2 LEGIC M LF HF
ORDER CODE	**HOP2-CBLEL**　　Panel housing kit, incl. black housing with LED holes, ELATEC standard inlay, rubber seal (various thickness levels) and 4 screws (3.5 x 12 mm - H2) Individual kits (e.g. kits containing a customized inlay or a panel housing without LED holes) are available on request. Contact ELATEC for more information.
INSTALLATION (EXEMPLARY ILLUSTRATION)	

[1]Product mounted on a planar steel surface during classification test. Other surfaces could result in another classification.

TECHNICAL DRAWINGS

⌀3

20

20

80,5

13,5

55

47

72,5

⌀3,3

All measures in mm